

## 1.3 Exercises

See [www.CalcChat.com](http://www.CalcChat.com) for worked-out solutions to odd-numbered exercises.

In Exercises 1–4, use a graphing utility to graph the function and visually estimate the limits.

- $h(x) = -x^2 + 4x$ 
  - $\lim_{x \rightarrow 4} h(x)$
  - $\lim_{x \rightarrow -1} h(x)$
- $g(x) = \frac{12(\sqrt{x} - 3)}{x - 9}$ 
  - $\lim_{x \rightarrow 4} g(x)$
  - $\lim_{x \rightarrow 0} g(x)$
- $f(x) = x \cos x$ 
  - $\lim_{x \rightarrow 0} f(x)$
  - $\lim_{x \rightarrow \pi/3} f(x)$
- $f(t) = t|t - 4|$ 
  - $\lim_{t \rightarrow 4} f(t)$
  - $\lim_{t \rightarrow -1} f(t)$

In Exercises 5–22, find the limit.

- $\lim_{x \rightarrow 2} x^3$
- $\lim_{x \rightarrow -2} x^4$
- $\lim_{x \rightarrow 0} (2x - 1)$
- $\lim_{x \rightarrow -3} (3x + 2)$
- $\lim_{x \rightarrow -3} (x^2 + 3x)$
- $\lim_{x \rightarrow 1} (-x^2 + 1)$
- $\lim_{x \rightarrow -3} (2x^2 + 4x + 1)$
- $\lim_{x \rightarrow 1} (3x^3 - 2x^2 + 4)$
- $\lim_{x \rightarrow 3} \sqrt{x + 1}$
- $\lim_{x \rightarrow 4} \sqrt[3]{x + 4}$
- $\lim_{x \rightarrow -4} (x + 3)^2$
- $\lim_{x \rightarrow 0} (2x - 1)^3$
- $\lim_{x \rightarrow 2} \frac{1}{x}$
- $\lim_{x \rightarrow -3} \frac{2}{x + 2}$
- $\lim_{x \rightarrow 1} \frac{x}{x^2 + 4}$
- $\lim_{x \rightarrow 1} \frac{2x - 3}{x + 5}$
- $\lim_{x \rightarrow 7} \frac{3x}{\sqrt{x + 2}}$
- $\lim_{x \rightarrow 2} \frac{\sqrt{x + 2}}{x - 4}$

In Exercises 23–26, find the limits.

- $f(x) = 5 - x$ ,  $g(x) = x^3$ 
  - $\lim_{x \rightarrow 1} f(x)$
  - $\lim_{x \rightarrow 4} g(x)$
  - $\lim_{x \rightarrow 1} g(f(x))$
- $f(x) = x + 7$ ,  $g(x) = x^2$ 
  - $\lim_{x \rightarrow 3} f(x)$
  - $\lim_{x \rightarrow 4} g(x)$
  - $\lim_{x \rightarrow -3} g(f(x))$
- $f(x) = 4 - x^2$ ,  $g(x) = \sqrt{x + 1}$ 
  - $\lim_{x \rightarrow 1} f(x)$
  - $\lim_{x \rightarrow 3} g(x)$
  - $\lim_{x \rightarrow 1} g(f(x))$
- $f(x) = 2x^2 - 3x + 1$ ,  $g(x) = \sqrt[3]{x + 6}$ 
  - $\lim_{x \rightarrow 4} f(x)$
  - $\lim_{x \rightarrow 21} g(x)$
  - $\lim_{x \rightarrow 4} g(f(x))$

In Exercises 27–36, find the limit of the trigonometric function.


- $\lim_{x \rightarrow \pi/2} \sin x$
- $\lim_{x \rightarrow \pi} \tan x$
- $\lim_{x \rightarrow 1} \cos \frac{\pi x}{3}$
- $\lim_{x \rightarrow 2} \sin \frac{\pi x}{2}$
- $\lim_{x \rightarrow 0} \sec 2x$
- $\lim_{x \rightarrow \pi} \cos 3x$
- $\lim_{x \rightarrow 5\pi/6} \sin x$
- $\lim_{x \rightarrow 5\pi/3} \cos x$
- $\lim_{x \rightarrow 3} \tan \left( \frac{\pi x}{4} \right)$
- $\lim_{x \rightarrow 7} \sec \left( \frac{\pi x}{6} \right)$

In Exercises 37–40, use the information to evaluate the limits.

- $\lim_{x \rightarrow c} f(x) = 3$   
 $\lim_{x \rightarrow c} g(x) = 2$ 
  - $\lim_{x \rightarrow c} [5g(x)]$
  - $\lim_{x \rightarrow c} [f(x) + g(x)]$
  - $\lim_{x \rightarrow c} [f(x)g(x)]$
  - $\lim_{x \rightarrow c} \frac{f(x)}{g(x)}$
- $\lim_{x \rightarrow c} f(x) = 3$   
 $\lim_{x \rightarrow c} g(x) = \frac{1}{2}$ 
  - $\lim_{x \rightarrow c} [4f(x)]$
  - $\lim_{x \rightarrow c} [f(x) + g(x)]$
  - $\lim_{x \rightarrow c} [f(x)g(x)]$
  - $\lim_{x \rightarrow c} \frac{f(x)}{g(x)}$
- $\lim_{x \rightarrow c} f(x) = 4$ 
  - $\lim_{x \rightarrow c} [f(x)]^3$
  - $\lim_{x \rightarrow c} \sqrt{f(x)}$
  - $\lim_{x \rightarrow c} [3f(x)]$
  - $\lim_{x \rightarrow c} [f(x)]^{3/2}$
- $\lim_{x \rightarrow c} f(x) = 27$ 
  - $\lim_{x \rightarrow c} \sqrt[3]{f(x)}$
  - $\lim_{x \rightarrow c} \frac{f(x)}{18}$
  - $\lim_{x \rightarrow c} [f(x)]^2$
  - $\lim_{x \rightarrow c} [f(x)]^{2/3}$


In Exercises 41–44, use the graph to determine the limit visually (if it exists). Write a simpler function that agrees with the given function at all but one point.

$$41. g(x) = \frac{x^2 - x}{x}$$




- $\lim_{x \rightarrow 0} g(x)$
- $\lim_{x \rightarrow -1} g(x)$

$$43. g(x) = \frac{x^3 - x}{x - 1}$$




- $\lim_{x \rightarrow 1} g(x)$
- $\lim_{x \rightarrow -1} g(x)$

$$42. h(x) = \frac{-x^2 + 3x}{x}$$



- $\lim_{x \rightarrow 2} h(x)$
- $\lim_{x \rightarrow 0} h(x)$

$$44. f(x) = \frac{x}{x^2 - x}$$



- $\lim_{x \rightarrow 1} f(x)$
- $\lim_{x \rightarrow 0} f(x)$

In Exercises 45–48, find the limit of the function (if it exists). Write a simpler function that agrees with the given function at all but one point. Use a graphing utility to confirm your result.

45.  $\lim_{x \rightarrow -1} \frac{x^2 - 1}{x + 1}$

46.  $\lim_{x \rightarrow -1} \frac{2x^2 - x - 3}{x + 1}$

47.  $\lim_{x \rightarrow 2} \frac{x^3 - 8}{x - 2}$

48.  $\lim_{x \rightarrow -1} \frac{x^3 + 1}{x + 1}$

In Exercises 49–64, find the limit (if it exists).

49.  $\lim_{x \rightarrow 0} \frac{x}{x^2 - x}$

50.  $\lim_{x \rightarrow 0} \frac{3x}{x^2 + 2x}$

51.  $\lim_{x \rightarrow 4} \frac{x - 4}{x^2 - 16}$

52.  $\lim_{x \rightarrow 3} \frac{3 - x}{x^2 - 9}$

53.  $\lim_{x \rightarrow -3} \frac{x^2 + x - 6}{x^2 - 9}$

54.  $\lim_{x \rightarrow 4} \frac{x^2 - 5x + 4}{x^2 - 2x - 8}$

55.  $\lim_{x \rightarrow 4} \frac{\sqrt{x + 5} - 3}{x - 4}$

56.  $\lim_{x \rightarrow 3} \frac{\sqrt{x + 1} - 2}{x - 3}$

57.  $\lim_{x \rightarrow 0} \frac{\sqrt{x + 5} - \sqrt{5}}{x}$

58.  $\lim_{x \rightarrow 0} \frac{\sqrt{2 + x} - \sqrt{2}}{x}$

59.  $\lim_{x \rightarrow 0} \frac{[1/(3 + x)] - (1/3)}{x}$

60.  $\lim_{x \rightarrow 0} \frac{[1/(x + 4)] - (1/4)}{x}$

61.  $\lim_{\Delta x \rightarrow 0} \frac{2(x + \Delta x) - 2x}{\Delta x}$

62.  $\lim_{\Delta x \rightarrow 0} \frac{(x + \Delta x)^2 - x^2}{\Delta x}$

63.  $\lim_{\Delta x \rightarrow 0} \frac{(x + \Delta x)^2 - 2(x + \Delta x) + 1 - (x^2 - 2x + 1)}{\Delta x}$

64.  $\lim_{\Delta x \rightarrow 0} \frac{(x + \Delta x)^3 - x^3}{\Delta x}$

In Exercises 65–76, determine the limit of the trigonometric function (if it exists).

65.  $\lim_{x \rightarrow 0} \frac{\sin x}{5x}$

66.  $\lim_{x \rightarrow 0} \frac{3(1 - \cos x)}{x}$

67.  $\lim_{x \rightarrow 0} \frac{\sin x(1 - \cos x)}{x^2}$

68.  $\lim_{\theta \rightarrow 0} \frac{\cos \theta \tan \theta}{\theta}$

69.  $\lim_{x \rightarrow 0} \frac{\sin^2 x}{x}$

70.  $\lim_{x \rightarrow 0} \frac{\tan^2 x}{x}$

71.  $\lim_{h \rightarrow 0} \frac{(1 - \cos h)^2}{h}$


72.  $\lim_{\phi \rightarrow \pi} \phi \sec \phi$

73.  $\lim_{x \rightarrow \pi/2} \frac{\cos x}{\cot x}$

74.  $\lim_{x \rightarrow \pi/4} \frac{1 - \tan x}{\sin x - \cos x}$

75.  $\lim_{t \rightarrow 0} \frac{\sin 3t}{2t}$

76.  $\lim_{x \rightarrow 0} \frac{\sin 2x}{\sin 3x}$  [Hint: Find  $\lim_{x \rightarrow 0} \left( \frac{2 \sin 2x}{2x} \right) \left( \frac{3x}{3 \sin 3x} \right)$ .]

 **Graphical, Numerical, and Analytic Analysis** In Exercises 77–84, use a graphing utility to graph the function and estimate the limit. Use a table to reinforce your conclusion. Then find the limit by analytic methods.

77.  $\lim_{x \rightarrow 0} \frac{\sqrt{x + 2} - \sqrt{2}}{x}$

78.  $\lim_{x \rightarrow 16} \frac{4 - \sqrt{x}}{x - 16}$

79.  $\lim_{x \rightarrow 0} \frac{[1/(2 + x)] - (1/2)}{x}$

80.  $\lim_{x \rightarrow 2} \frac{x^5 - 32}{x - 2}$

81.  $\lim_{t \rightarrow 0} \frac{\sin 3t}{t}$

82.  $\lim_{x \rightarrow 0} \frac{\cos x - 1}{2x^2}$

83.  $\lim_{x \rightarrow 0} \frac{\sin x^2}{x}$

84.  $\lim_{x \rightarrow 0} \frac{\sin x}{\sqrt[3]{x}}$

In Exercises 85–88, find  $\lim_{\Delta x \rightarrow 0} \frac{f(x + \Delta x) - f(x)}{\Delta x}$ .

85.  $f(x) = 3x - 2$

86.  $f(x) = \sqrt{x}$

87.  $f(x) = \frac{1}{x + 3}$

88.  $f(x) = x^2 - 4x$


In Exercises 89 and 90, use the Squeeze Theorem to find  $\lim_{x \rightarrow c} f(x)$ .

89.  $c = 0$

$$4 - x^2 \leq f(x) \leq 4 + x^2$$

90.  $c = a$

$$b - |x - a| \leq f(x) \leq b + |x - a|$$

 In Exercises 91–96, use a graphing utility to graph the given function and the equations  $y = |x|$  and  $y = -|x|$  in the same viewing window. Using the graphs to observe the Squeeze Theorem visually, find  $\lim_{x \rightarrow 0} f(x)$ .

91.  $f(x) = x \cos x$

92.  $f(x) = |x \sin x|$

93.  $f(x) = |x| \sin x$


94.  $f(x) = |x| \cos x$

95.  $f(x) = x \sin \frac{1}{x}$

96.  $h(x) = x \cos \frac{1}{x}$

### WRITING ABOUT CONCEPTS

- In the context of finding limits, discuss what is meant by two functions that agree at all but one point.
- Give an example of two functions that agree at all but one point.
- What is meant by an indeterminate form?
- In your own words, explain the Squeeze Theorem.

 **101. Writing** Use a graphing utility to graph

$$f(x) = x, \quad g(x) = \sin x, \quad \text{and} \quad h(x) = \frac{\sin x}{x}$$

in the same viewing window. Compare the magnitudes of  $f(x)$  and  $g(x)$  when  $x$  is close to 0. Use the comparison to write a short paragraph explaining why

$$\lim_{x \rightarrow 0} h(x) = 1.$$

**102. Writing** Use a graphing utility to graph

$$f(x) = x, \quad g(x) = \sin^2 x, \quad \text{and} \quad h(x) = \frac{\sin^2 x}{x}$$

in the same viewing window. Compare the magnitudes of  $f(x)$  and  $g(x)$  when  $x$  is close to 0. Use the comparison to write a short paragraph explaining why  $\lim_{x \rightarrow 0} h(x) = 0$ .

**Free-Falling Object** In Exercises 103 and 104, use the position function  $s(t) = -16t^2 + 500$ , which gives the height (in feet) of an object that has fallen for  $t$  seconds from a height of 500 feet. The velocity at time  $t = a$  seconds is given by

$$\lim_{t \rightarrow a} \frac{s(a) - s(t)}{a - t}$$

**103.** If a construction worker drops a wrench from a height of 500 feet, how fast will the wrench be falling after 2 seconds?

**104.** If a construction worker drops a wrench from a height of 500 feet, when will the wrench hit the ground? At what velocity will the wrench impact the ground?

**Free-Falling Object** In Exercises 105 and 106, use the position function  $s(t) = -4.9t^2 + 200$ , which gives the height (in meters) of an object that has fallen from a height of 200 meters. The velocity at time  $t = a$  seconds is given by

$$\lim_{t \rightarrow a} \frac{s(a) - s(t)}{a - t}$$

**105.** Find the velocity of the object when  $t = 3$ .

**106.** At what velocity will the object impact the ground?

**107.** Find two functions  $f$  and  $g$  such that  $\lim_{x \rightarrow 0} f(x)$  and  $\lim_{x \rightarrow 0} g(x)$  do not exist, but  $\lim_{x \rightarrow 0} [f(x) + g(x)]$  does exist.

**108.** Prove that if  $\lim_{x \rightarrow c} f(x)$  exists and  $\lim_{x \rightarrow c} [f(x) + g(x)]$  does not exist, then  $\lim_{x \rightarrow c} g(x)$  does not exist.

**109.** Prove Property 1 of Theorem 1.1.

**110.** Prove Property 3 of Theorem 1.1. (You may use Property 3 of Theorem 1.2.)

**111.** Prove Property 1 of Theorem 1.2.

**112.** Prove that if  $\lim_{x \rightarrow c} f(x) = 0$ , then  $\lim_{x \rightarrow c} |f(x)| = 0$ .

**113.** Prove that if  $\lim_{x \rightarrow c} f(x) = 0$  and  $|g(x)| \leq M$  for a fixed number  $M$  and all  $x \neq c$ , then  $\lim_{x \rightarrow c} f(x)g(x) = 0$ .

**114.** (a) Prove that if  $\lim_{x \rightarrow c} |f(x)| = 0$ , then  $\lim_{x \rightarrow c} f(x) = 0$ .

(Note: This is the converse of Exercise 112.)

(b) Prove that if  $\lim_{x \rightarrow c} f(x) = L$ , then  $\lim_{x \rightarrow c} |f(x)| = |L|$ .

[Hint: Use the inequality  $||f(x)| - |L|| \leq |f(x) - L|$ .]

**115. Think About It** Find a function  $f$  to show that the converse of Exercise 114(b) is not true. [Hint: Find a function  $f$  such that  $\lim_{x \rightarrow c} |f(x)| = |L|$  but  $\lim_{x \rightarrow c} f(x)$  does not exist.]

### CAPSTONE

**116.** Let  $f(x) = \begin{cases} 3, & x \neq 2 \\ 5, & x = 2 \end{cases}$ . Find  $\lim_{x \rightarrow 2} f(x)$ .

**True or False?** In Exercises 117–122, determine whether the statement is true or false. If it is false, explain why or give an example that shows it is false.

**117.**  $\lim_{x \rightarrow 0} \frac{|x|}{x} = 1$

**118.**  $\lim_{x \rightarrow \pi} \frac{\sin x}{x} = 1$

**119.** If  $f(x) = g(x)$  for all real numbers other than  $x = 0$ , and  $\lim_{x \rightarrow 0} f(x) = L$ , then  $\lim_{x \rightarrow 0} g(x) = L$ .

**120.** If  $\lim_{x \rightarrow c} f(x) = L$ , then  $f(c) = L$ .

**121.**  $\lim_{x \rightarrow 2} f(x) = 3$ , where  $f(x) = \begin{cases} 3, & x \leq 2 \\ 0, & x > 2 \end{cases}$

**122.** If  $f(x) < g(x)$  for all  $x \neq a$ , then  $\lim_{x \rightarrow a} f(x) < \lim_{x \rightarrow a} g(x)$ .

**123.** Prove the second part of Theorem 1.9.

$$\lim_{x \rightarrow 0} \frac{1 - \cos x}{x} = 0$$

**124.** Let  $f(x) = \begin{cases} 0, & \text{if } x \text{ is rational} \\ 1, & \text{if } x \text{ is irrational} \end{cases}$

and

$$g(x) = \begin{cases} 0, & \text{if } x \text{ is rational} \\ x, & \text{if } x \text{ is irrational.} \end{cases}$$

Find (if possible)  $\lim_{x \rightarrow 0} f(x)$  and  $\lim_{x \rightarrow 0} g(x)$ .

**125. Graphical Reasoning** Consider  $f(x) = \frac{\sec x - 1}{x^2}$ .

(a) Find the domain of  $f$ .

(b) Use a graphing utility to graph  $f$ . Is the domain of  $f$  obvious from the graph? If not, explain.

(c) Use the graph of  $f$  to approximate  $\lim_{x \rightarrow 0} f(x)$ .

(d) Confirm your answer to part (c) analytically.

**126. Approximation**

(a) Find  $\lim_{x \rightarrow 0} \frac{1 - \cos x}{x^2}$ .

(b) Use your answer to part (a) to derive the approximation  $\cos x \approx 1 - \frac{1}{2}x^2$  for  $x$  near 0.

(c) Use your answer to part (b) to approximate  $\cos(0.1)$ .

(d) Use a calculator to approximate  $\cos(0.1)$  to four decimal places. Compare the result with part (c).

**127. Think About It** When using a graphing utility to generate a table to approximate  $\lim_{x \rightarrow 0} [(\sin x)/x]$ , a student concluded that the limit was 0.01745 rather than 1. Determine the probable cause of the error.